



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification⁴ : C11D 10/04, 9/26	A1	(11) International Publication Number: WO 87/ 02379 (43) International Publication Date: 23 April 1987 (23.04.87)
(21) International Application Number: PCT/GB86/00600 (22) International Filing Date: 6 October 1986 (06.10.86) (31) Priority Application Number: 8524727 (32) Priority Date: 8 October 1985 (08.10.85) (33) Priority Country: GB (71) Applicant (for GB only): UNILEVER PLC [GB/GB]; Unilever House, P.O. Box 68, London EC4 (GB). (71) Applicant (for all designated States except GB): UNIL- EVER NV [NL/NL]; Burgemeester s'Jacobplein 1, P.O. Box 760, NL-3000 DK Rotterdam (NL). (72) Inventor: MAYARA, Easwaran, Narayanan, Nambudi- ry ; 4C Anusandhan, Hindustan Lever Research Quarter, Chakala, Andheri East, Bombay 400 099 (IN).		(74) Agents: THOMAS, Susan, M. et al.; Unilever PLC, Unilever House, P.O. Box 68, London EC4 (GB). (81) Designated States: BR, CH (European patent), DE (European patent), FR (European patent), GB (Euro- pean patent), IT (European patent), JP, NL (Euro- pean patent), SE (European patent). Published <i>With international search report.</i>
(54) Title: DETERGENT COMPOSITIONS (57) Abstract A soap based detergent composition contains soluble salts of (C8 to C22) mono-carboxylic acids and water soluble salts of monoesters of general formula $ROOC(CH_2)_nCOOM$ wherein R is a linear or a branched alkyl or alkenyl group containing 4 to 12 carbon atoms, n is 2, 3 or 4 and M is a cation providing water soluble properties. The monoester can replace in whole or in part the shorter chain soaps, such as that derived from coconut oil.		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	FR	France	ML	Mali
AU	Australia	GA	Gabon	MR	Mauritania
BB	Barbados	GB	United Kingdom	MW	Malawi
BE	Belgium	HU	Hungary	NL	Netherlands
BG	Bulgaria	IT	Italy	NO	Norway
BJ	Benin	JP	Japan	RO	Romania
BR	Brazil	KP	Democratic People's Republic of Korea	SD	Sudan
CF	Central African Republic	KR	Republic of Korea	SE	Sweden
CG	Congo	LI	Liechtenstein	SN	Senegal
CH	Switzerland	LE	Sri Lanka	SU	Soviet Union
CM	Cameroon	LU	Luxembourg	TD	Chad
DE	Germany, Federal Republic of	MC	Monaco	TG	Togo
DK	Denmark	MG	Madagascar	US	United States of America
FI	Finland				

- 1 -

DETERGENT COMPOSITIONSField of Invention:

5 This invention relates to detergent compositions
intended for personal washing containing water soluble
salts of long chain (C_8 to C_{22}) monocarboxylic acids.
These products will generally be in solid form and usually
in bar form but may alternatively be prepared in, for
10 example, sheet or powder form.

Background to Invention:

 Conventional solid soap compositions intended for
15 personal use usually have a major proportion by weight of
salts of longer chain, i.e. C_{16} and above, monocarboxylic
acids and a minor proportion by weight of salts of shorter
chain, i.e. C_{14} and below, monocarboxylic acids. A
typical soap composition intended for personal use will
20 contain between about 55% and 80% of C_{16} and above salts
and between about 45% and 20% of C_{14} and below salts.
Usually the C_{16} and above salts will form at least about
60% by weight of the soap content and more usually at
least about 70% by weight.

25

The feedstocks which provide the long chain monocarboxylic acids may be obtained from natural sources i.e. fats and oils, or synthetic sources, e.g. oxidation of paraffins. However, the natural sources form by far the larger feedstock proportion. Fats and oils from plants, animal and marine sources are used throughout the world in proportions depending on the local conditions of supply and the economy. The shorter chain length materials are acknowledged as the components providing the lather generated during use and a common source of these components is coconut oil. This oil is in wide demand for soap making and, despite the considerable world production, its price is consistently above those for the other soap making fats and oils, in particular those providing the C₁₆ and above chain lengths. These cost considerations are general to any lauric source oil.


Soap makers have in the past given considerable attention to the possibility of replacing some or all of the coconut derived acids by other, more economic, materials while retaining the properties associated with the coconut derived materials. Examples of disclosures already present in the literature are UK 1281895, UK 1295275, UK 1314604 and UK 1287895 (Unilever).

25

General description of the Invention:

According to the present invention there is provided a detergent composition including salts of monocarboxylic acids containing in the range of 8 to 22 carbon atoms and having a cation providing water soluble properties, and a second anionic material characterised in that the second anionic material comprises water soluble salts of monoesters of general formula

35



wherein R is a linear or a branched alkyl or alkenyl group containing 4 to 12 carbon atoms, n is 2, 3 or 4 and M is a cation providing water soluble properties.

5 The level of these monoesters in the total detergent composition can be from about 2% to about 20% by weight, preferably from about 4% to about 12%. The cation species M can be alkali metal, alkaline earth metal, or ammonium, the ammonium being optionally substituted with at least
10 one alkyl (C_1 to C_4) group or at least one alkanol (C_1 to C_4) group. The commercially used cations will usually be potassium and, preferably, sodium.

15 Preferably the ester forming group R contains 8 to 10 carbon atoms. Suitably the group R is selected from the group comprising n-octyl, iso-octyl, iso-nonyl, iso-decyl and 2-ethyl hexyl. Preferably the monoester is an alkyl or alkenyl succinate, i.e. n=2.

20 Examples of the alcohols from which the esters may be
derived are thus n-octanol, iso-octanol, iso-nonanol,
2-ethyl-hexanol and iso-decanol. The maximum carbon chain
length of the monoester is preferably 14 carbon atoms,
more preferably 12 carbon atoms. Thus the n-octyl
25 succinate ester gives a carbon length of 12 while
isodecanol provides a length of 11 carbon atoms because of
branching.

30 Preferably the said salts of monocarboxylic acids
comprise salts of acids containing 16 to 22 carbon atoms.
The natural sources for longer chain (C_{16} to C_{22})
monocarboxylic acids used in the composition are e.g.
tallow, palm, soya oil, castor oil, rice bran oil and fish
oil. These feedstocks may require processing, e.g.

hardening and dehydroxylation, to provide suitable longer chain acids. Suitably salts of acids containing 16 to 22 carbon atoms comprise at least 55wt%, more suitably at least 60 wt%, even more suitably at least 70wt% of the total salts present of monocarboxylic acids. An upper limit is 100 wt%, preferably 95 wt%.

The said salts of monocarboxylic acids preferably further comprise salts of acids containing 8 to 14 carbon atoms. Such soaps will usually be obtained from high lauric oils such as palm kernel oil, babassu oil and coconut oil. Suitably salts of monocarboxylic acids containing 8 to 14 carbon atoms comprise at most 45%, more suitably at most 40 wt%, even more suitably at most 30 wt%, of the total salts present of monocarboxylic acids. The salts of monocarboxylic acids containing 8 to 14 carbon atoms can however comprise at most 5 wt%, or even 0 wt%, of the total salts of monocarboxylic acids present.

The cation of the salts of monocarboxylic acids can for example be sodium or potassium. Preferably it is sodium.

The applicants have thus found that at least the shorter chain (C_{14} and below) lauric salts can be replaced in whole or in part by the water soluble salts of monoesters of the above formula $ROOC(CH_2)_nCOOM$. In particular it has been found that the lather produced by the detergent compositions of the invention containing the monoester at the same level as for example coconut soaps in conventional soap can be more in quantity and more stable than the lather obtained with conventional soaps containing coconut soaps. The present detergent compositions can thus show synergistic action in lather.

The detergent composition may optionally contain other components known as additives to solid compositions. Examples are pigments, stabilisers, fluorescers, germicides, free fatty acids, perfumes and non-soap
5 detergents. The present compositions may also contain additional non-soap detergents. Examples of such ingredients are alkane sulphonates, alcohol sulphates, alkyl benzene sulphonates, alkyl sulphates, acyl isethionates, olefin sulphonates and ethoxylated alcohols.

10

The detergent composition of the present invention can be processed into solid form such as bar, sheet or powder form by conventional methods. Bar form is preferred.

15

Embodiments of the present invention will now be described by way of example only with reference to the following Examples.

20 Manufacture of materials:

Preparation of the monoester is illustrated by the following method for preparing the sodium salt of n-octylhydrogen succinate.

25

Succinic anhydride (700g) and n-octanol (910g) were mixed and heated with stirring at a temperature of $120 \pm 5^{\circ}\text{C}$. In an hour the mixture homogenised. Progress of reaction was monitored by Acid Value (AV) drop of the
30 reaction mixture. In 2 hours AV was 249 and in about 3 hours it stabilised to a value of 244 (theoretical AV for n-octyl hydrogen succinate is 243.6). At a temperature of about 35°C , n-octyl hydrogen succinate (1 kg) was neutralised with sodium carbonate solution (644 ml of a
35 solution of sodium carbonate containing 230.4g sodium carbonate) added over a period of 1 hour with slow

stirring. The reaction mass was agitated for a further period of 1 hour and left overnight. The mass was poured into a stainless steel tray and kept on a boiling water bath with occasional stirring. After about 6 hours a
5 thick paste was obtained which was finally dried in an oven at 100°C for an hour. The final product containing sodium n-octyl succinate was produced at a yield of 1.33kg (theoretical yield = 1.096 kg). A sample on acidulation and ether extraction indicated the presence of about 66%
10 n-octyl succinic acid; total volatiles were estimated as 24.2%.

All samples of sodium mono-alkyl succinate employed in the present Examples were prepared using this
15 procedure. If the AV did not drop to the expected theoretical values, reactions were terminated when the value stabilised and remained constant. This happened in cases where commercial alcohols were assumed to be of 100% purity. The products were characterised using H-NMR, AV
20 and TLC.

The succinate esters can alternatively be prepared using maleic anhydride as an initial reactant with
25 subsequent reduction.

Lather test methodology:

The important contribution of coconut oil fatty acids in soap composition is to increase its lather. Lather
30 assessment in use is however a subjective parameter and different quantitative methods have been devised for its measurements. The method used in the experiments described in the examples below is as follows:

35 Lather from a composition was generated using a domestic kitchen mixer. Soap chips (10g) were placed in

the mixer with water (100 ml) of 24° French hardness. The mixer was run for 20 seconds, stopped for 20 seconds and then run for 20 seconds. The lather was then poured into a measuring cylinder and the volume was recorded after 5 minutes to obtain an estimate of the durable lather.

Examples 1 - 14

Detergent compositions were prepared in the laboratory by mixing sodium mono alkyl hydrogen succinates in a soap base deficient in coconut soap. Two soap bases A and B have been used in which shorter chain fatty acids of C₁₄ and below were less than 4% by weight and less than 2% by weight respectively. The sodium mono alkyl hydrogen succinates were incorporated at two levels: 5% by weight and 10% by weight.

Control samples were prepared by mixing coconut soap in the soap base in the same manner as the experimental compounds.

The compositions prepared forming Examples 1 to 14 are given in Table 1. The fatty acid composition of soap bases used is given in Table 2.

The lather volumes for the compositions of Examples 1-14 are given in Table 3, side by side with the lather values for the components: soap base and sodium salt of mono alkyl hydrogen succinates respectively in water at the levels corresponding to those used in each example.

TABLE 1

5 EXAMPLE No.	COMPOSITIONS (% by wt)			
	SOAP BASE		SODIUM SALT OF	
10	1	A-95	n-octyl hydrogen succinate	5
	2	A-90	-do-	10
	3	A-95	2-ethyl hexyl hydrogen succinate	5
	4	A-90	-do-	10
	5	A-95	Iso-octyl hydrogen succinate*	5
	6	A-90	-do-	10
	7	A-95	Iso-nonyl hydrogen succinate**	5
	8	A-90	-do-	10
	9	A-95	Cocount oil fatty acids	5
	10	A-90	-do-	10
20	11	B-95	Isononyl hydrogen succinate**	5
	12	B-90	-do-	10
	13	B-95	Coconut oil fatty acids	5
	14	B-90	-do-	10
25	* Prepared from commercial isooctanol (dimethyl hexanol 80% and methyl heptanol - 20%).			
30	** Prepared from commercial isononanol (trimethyl hexanol 95% and mixed alkylol - 5%).			

TABLE 2
FATTY ACID COMPOSITION OF SOAP BASE

5

Fatty acid	SOAP BASE A	SOAP BASE B
	(mixed Soapery oil feedstock)	(ex. hardened rice bran oil fatty acid)
10	(% by wt)	(% by wt)
C ₈	0.8	t
C ₁₀	0.2	t
C ₁₂	2.0	0.6
15 C ₁₄	0.7	0.9
C ₁₆	19.7	21.5
C ₁₈	30.3	2.8
C _{18:1}	37.4	45.0
C _{18:2}	7.3	28.3
20 C ₂₀	1.3	0.9

t = traces

- 10 -

TABLE 3
LATHER VOLUMES OBSERVED

EXAMPLE No.	LATHER VOLUME (ml) OF COMPOSITIONS	LATHER VOLUME OF COMPONENTS			
		Soap base		Sodium salt of mono alkyl hydrogen succinate or coconut fatty acids (c)	
	10g of composition of the example dissolved in 100 ml water	g/100 ml water	Lather Vol. (ml)	g/100 ml water	Lather Vol. (ml)
1	260	9.5	145	0.5	7
2	335	9.0	145	1.0	130
3	260	9.5	145	0.5	0
4	327	9.0	145	1.0	0
5	250	9.5	145	0.5	0
6	320	9.0	145	1.0	15
7	300	9.5	145	0.5	0
8	405	9.0	145	1.0	40
9	210	9.5	145	0.5	236 (c)
10	270	9.0	145	1.0	384 (c)
11	285	9.5	183	0.5	0
12	348	9.0	183	1.0	40
13	236	9.5	183	0.5	236 (c)
14	292	9.0	183	1.0	384 (c)

It can be seen from Table 3 that in the case of sodium salt of alkyl hydrogen succinates, the detergent composition have higher lather values than the separate components. Further, the experimental compositions 1-8 and 11-12 produce more lather than the corresponding control samples with only coconut soaps (examples 9, 10 and 13, 14).

Example 15

5 The composition of Example 7 (i.e. with 5% sodium salt of isononyl hydrogen succinate) was made on large scale and soap bars prepared were assessed for actual user performance, in comparison with control soap with 10% coconut fatty acid composition as in Example 10.

10 The in-use performance for both the samples was not statistically different. Thus showing that 5% of sodium salt of isononyl hydrogen succinate can replace 10% of coconut oil soap in personal washing soaps.

15 These results show that the mono-ester succinates can generally provide more lather than coconut derived soap, weight for weight or at even lower ratios. Further, the detergent compositions embodying the present invention were similar to control in other respects and in use.

CLAIMS

1. A detergent composition including salts of monocarboxylic acids containing in the range of 8 to 22 carbon atoms and having a cation providing water soluble properties, and a second anionic material characterised in that the second anionic material comprises water soluble salts of monoesters of general formula



wherein R is a linear or a branched alkyl or alkenyl group containing 4 to 12 carbon atoms, n is 2, 3 or 4 and M is a cation providing water soluble properties.

15

2. A detergent composition according to claim 1 wherein the cation M is alkali metal, alkaline earth metal or ammonium, the ammonium optionally substituted with at least one alkyl or alkanol group containing 1 to 4 carbon atoms.

20

3. A detergent composition according to any one of the preceding claims wherein the group R contains 8 to 10 carbon atoms.

25

4. A detergent composition according to any one of the preceding claims wherein the group R is selected from the group comprising n-octyl, iso-octyl, iso-nonyl, iso-decanol and 2-ethyl hexyl.

30

5. A detergent composition according to any one of the preceding claims wherein the monoester is an alkyl or alkenyl succinate.

6. A detergent composition according to any one of the preceding claims wherein the composition contains from about 2 to about 20 wt% of the said monoester.

5 7. A detergent composition according to claim 6 wherein the composition contains from about 4 to about 12 wt% of the said monoester.

10 8. A detergent composition according to any one of the preceding claims wherein the said salts of monocarboxylic acids comprise salts of acids containing 16 to 22 carbon atoms.

15 9. A detergent composition according to claim 8 wherein the salts of acids containing 16 to 22 carbon atoms comprise at least 60 wt% of the total salts present of monocarboxylic acids.

20 10. A detergent composition according to claim 8 or claim 9 wherein the said salts of monocarboxylic acids further comprise salts of acids containing 8 to 14 carbon atoms.

25 11. A detergent composition according to claim 10 wherein the salts of acids containing 8 to 14 carbon atoms comprise at most 40 wt% of the total salts present of monocarboxylic acids.

30 12. A detergent composition according to claim 11 wherein the said salts comprise at most 30 wt% of the said total salts.

13. A detergent composition according to claim 12 wherein the said salts comprise at most 5 wt% of the said total salts.

14. A detergent composition according to any one of the preceding claims in bar, sheet or powder form.

INTERNATIONAL SEARCH REPORT

International Application No PCT/GB 86/00600

I. CLASSIFICATION OF SUBJECT MATTER (if several classification symbols apply, indicate all) ⁴ According to International Patent Classification (IPC) or to both National Classification and IPC IPC ⁴ : C 11 D 10/04; C 11 D 9/26																	
II. FIELDS SEARCHED <div style="text-align: right; font-size: small;">Minimum Documentation Searched ⁷</div> <table style="width: 100%; border: none;"> <tr> <td style="width: 30%; border-bottom: 1px solid black; padding-bottom: 5px;">Classification System</td> <td style="border-bottom: 1px solid black; padding-bottom: 5px;">Classification Symbols</td> </tr> <tr> <td style="border: 1px solid black; padding: 5px;">IPC⁴</td> <td style="border: 1px solid black; padding: 5px;">C 11 D</td> </tr> </table> <div style="text-align: center; font-size: x-small; margin-top: 5px;">Documentation Searched other than Minimum Documentation to the Extent that such Documents are Included in the Fields Searched ⁸</div>			Classification System	Classification Symbols	IPC ⁴	C 11 D											
Classification System	Classification Symbols																
IPC ⁴	C 11 D																
III. DOCUMENTS CONSIDERED TO BE RELEVANT ⁹ <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 10%; font-size: x-small;">Category ⁹</th> <th style="width: 70%; font-size: x-small;">Citation of Document, ¹¹ with Indication, where appropriate, of the relevant passages ¹²</th> <th style="width: 20%; font-size: x-small;">Relevant to Claim No. ¹³</th> </tr> </thead> <tbody> <tr> <td style="text-align: center; vertical-align: top;">X</td> <td>US, A, 2089305 (K. STICKDORN) 10 August 1937, see the whole document --</td> <td style="text-align: center; vertical-align: top;">1,2,6,7,8</td> </tr> <tr> <td style="text-align: center; vertical-align: top;">Y</td> <td>US, A, 2792348 (R.D. AYLESWORTH) 14 May 1957, see the whole document --</td> <td style="text-align: center; vertical-align: top;">1</td> </tr> <tr> <td style="text-align: center; vertical-align: top;">Y</td> <td>DE, A, 2427986 (HENKEL) 2 January 1976, see the claims --</td> <td style="text-align: center; vertical-align: top;">1</td> </tr> <tr> <td style="text-align: center; vertical-align: top;">Y</td> <td>CA, A, 953176 (UNILEVER) 20 August 1974, see the claims -----</td> <td style="text-align: center; vertical-align: top;">1</td> </tr> </tbody> </table>			Category ⁹	Citation of Document, ¹¹ with Indication, where appropriate, of the relevant passages ¹²	Relevant to Claim No. ¹³	X	US, A, 2089305 (K. STICKDORN) 10 August 1937, see the whole document --	1,2,6,7,8	Y	US, A, 2792348 (R.D. AYLESWORTH) 14 May 1957, see the whole document --	1	Y	DE, A, 2427986 (HENKEL) 2 January 1976, see the claims --	1	Y	CA, A, 953176 (UNILEVER) 20 August 1974, see the claims -----	1
Category ⁹	Citation of Document, ¹¹ with Indication, where appropriate, of the relevant passages ¹²	Relevant to Claim No. ¹³															
X	US, A, 2089305 (K. STICKDORN) 10 August 1937, see the whole document --	1,2,6,7,8															
Y	US, A, 2792348 (R.D. AYLESWORTH) 14 May 1957, see the whole document --	1															
Y	DE, A, 2427986 (HENKEL) 2 January 1976, see the claims --	1															
Y	CA, A, 953176 (UNILEVER) 20 August 1974, see the claims -----	1															
<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <p>[*] Special categories of cited documents: ¹⁰</p> <p>^{"A"} document defining the general state of the art which is not considered to be of particular relevance</p> <p>^{"E"} earlier document but published on or after the international filing date</p> <p>^{"L"} document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)</p> <p>^{"O"} document referring to an oral disclosure, use, exhibition or other means</p> <p>^{"P"} document published prior to the international filing date but later than the priority date claimed</p> </div> <div style="width: 45%;"> <p>^{"T"} later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention</p> <p>^{"X"} document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step</p> <p>^{"Y"} document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art</p> <p>^{"A"} document member of the same patent family</p> </div> </div>																	
IV. CERTIFICATION <table style="width: 100%; border: none;"> <tr> <td style="width: 50%; border-bottom: 1px solid black; padding-bottom: 5px;">Date of the Actual Completion of the International Search</td> <td style="width: 50%; border-bottom: 1px solid black; padding-bottom: 5px;">Date of Mailing of this International Search Report</td> </tr> <tr> <td style="border-bottom: 1px solid black; padding-bottom: 5px;">25th November 1986</td> <td style="border-bottom: 1px solid black; padding-bottom: 5px;">14 Dec 1986</td> </tr> <tr> <td style="border-bottom: 1px solid black; padding-bottom: 5px;">International Searching Authority</td> <td style="border-bottom: 1px solid black; padding-bottom: 5px;">Signature of Authorized Officer</td> </tr> <tr> <td style="border-bottom: 1px solid black; padding-bottom: 5px;">EUROPEAN PATENT OFFICE</td> <td style="border-bottom: 1px solid black; padding-bottom: 5px;">M. VAN MOL </td> </tr> </table>			Date of the Actual Completion of the International Search	Date of Mailing of this International Search Report	25th November 1986	14 Dec 1986	International Searching Authority	Signature of Authorized Officer	EUROPEAN PATENT OFFICE	M. VAN MOL							
Date of the Actual Completion of the International Search	Date of Mailing of this International Search Report																
25th November 1986	14 Dec 1986																
International Searching Authority	Signature of Authorized Officer																
EUROPEAN PATENT OFFICE	M. VAN MOL																

ANNEX TO THE INTERNATIONAL SEARCH REPORT ON

INTERNATIONAL APPLICATION NO. PCT/GB 86/00600 (SA 14777)

This Annex lists the patent family members relating to the patent documents cited in the above-mentioned international search report. The members are as contained in the European Patent Office EDP file on 04/12/86

The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US-A- 2089305		DE-A- 613224	
US-A- 2792348		None	
DE-A- 2427986	02/01/76	NL-A- 7505599	12/12/75
		BE-A- 830011	09/12/75
		LU-A- 72678	13/04/76
		FR-A- 2288780	21/05/76
		FR-A,B 2299401	27/08/76
		US-A- 4014807	29/03/77
		GB-A- 1504927	22/03/78
		AT-B- 345416	11/09/78
CA-A- 953176	20/08/74	None	

For more details about this annex :
see Official Journal of the European Patent Office, No. 12/82